

Child and Family Health Measures 2016 National Survey of Children's Health

Health Care Access Family Health and Neighborhood Safety Physical, Oral Health **Emotional and Mental** Community and School Activities Activities and Functional Status Health Coverage and Quality 5.1 Special education or early 1.1 Health status (NOM-19) 3.1 Current health insurance status 1.2 Condition of teeth, 1-17 years 3.2 Consistency of insurance coverage intervention plan (EIP), 1-17 years 1.2a Oral health problems, 1-17 years 5.1a Age started special education or 3.3 Type of health insurance 7.3 Safe school Tooth decay/cavities, 1-17 3.4 Adequacy of current insurance EIP years (NOM-14) 3.4a Adequate insurance (NPM-15) 5.2 School engagement, 6-17 years 1.3 Breastfed ever, 0-5 years 3.5 Insurance coverage for mental health care 5.3 Repeated grade(s) in school, 6-17 1.3a Exclusively breastfed, 6 mon-5 years 3.6 Out-of-pocket cost for medical and health care 1.4 Weight status (BMI), 10-17 4.19 Problems paying medical bills Missed school days, 6-17 years years (NOM-20) Participation in organized activities, 1.5 Physical activity, 6-17 years 4.1 Medical care visit 6-17 years (NPM-8) 5.6 Parent participation in child's 4.1a Preventive medical visit Concern about weight event/activities, 6-17 years Among children 12-17 years (NPM-10) Low birth weight 5.7 Participation in community service 1.7 4.1b Time with doctor during preventive medical visit 1.8 Premature birth 4.1c Doctor spoke with child privately, 12-17 years or volunteer work, 6-17 years 6.2a Mental health status of father One or more health conditions 5.8 Work for pay, 12 -17 year 1.9 4.2 Dentist visit, 1-17 years 6.3 Overall health status of mother 1.9a Severity of current condition 4.2a Preventive dental care, 1-17 years (NPM-13B) Adult mentor, 6-17 years 1.10 One or more functional difficulties 4.3 Received both preventive medical and dental care 5.10 Promoting school success index, 6-1.11 Children with special health care 4.4 Received mental health care, 3-17 years 17 years* (NPM-14B) needs (NOM-17.1) Received needed mental health care, 3-17 5.11 Healthy and ready to learn, 3-5 1.12 Effect of conditions on daily activities years (NOM-13) (under years (NOM-18) 4.4a Problems obtaining mental health care, 3-17 years development) 6.6 4.5 Received care from a specialist doctor 4.5a Problems obtaining specialist care 4.6 Vision test 2.1 Bully others, 6-17 years Hospital emergency room visit Among children age 12-17 years (NPM-9) Family eats meal together Alternative health care or treatment 2.2 Bullied, 6-17 years Doctor asked about parental concerns, 0-5 years Among children age 12-17 years (NPM-9) 4.10 Developmental screening, 9-35 months (NPM-6) 2.3 Flourishing for young children, 6 months-5 years electronic device 4.11 Special services for developmental needs 2.4 Flourishing for children and adolescents, 6-17 years 6.12 Family resilience 4.11a Age started receiving special services for 2.5 Argues too much, 6-17 years developmental needs Making and keeping friends, 6-17 years 6.14 Parental aggravation 4.12 Medical home 2.7 Prevalence of ADD/ADHD, 3-17 years (NOM-Among CSHCN and Non-CSHCN (NPM-11) **Note: MCHB Title V National** 17.4) 4.12a Personal doctor or nurse 2.7a Parent-rated severity of ADD/ADHD, 3-17 years Performance Measures (NOM) and 4.12b Usual source for sick and preventive care 2.7b Medication for ADD/ADHD, 3-17 years National Outcome Measures (NOM) are 0- 5 years 4.12c Family-centered care 2.7c Received behavioral treatment for ADD/ADHD, 3-17 in bold types. 4.12d Problems getting needed referrals

4.12e Effective care coordination

4.14 Shared decision making

4.17 System of care

4.13 Minimum quality of care index*

4.15 Transition to adult healthcare, 12-17 years

Among CSHCN (NOM-17.2)

4.18 Unmet need for care (NOM-25)

4.20 Frustrated in efforts to get services

4.19 Problems paying medical bills

Among CSHCN and Non-CSHCN (NPM-12)

* The definition of these indices and all other measures can be found in the 2016 NSCH codebook and the "details" link on the data query at childhealthdata.org

comparable with the previous surveys.

7.1 Supportive neighborhood

and Support

7.2 Safe neighborhood

7.4 Neighborhood amenities

Presence of detracting

neighborhood elements Neighborhood and school

index measure*

6.1 Physical health status of mother

6.1a Physical health status of father

6.2 Mental health status of mother

6.3a Overall health status of father

6.4 Someone living in the household smokes

6.4a Someone smokes inside the home

6.5 Children living in "working poor" families*

Family shares ideas, 6-17 years

Family reads to children, 0-5 years

6.8 Family sings and tells stories to children, 0-5

6.10 Time spent watching TV or playing video games

6.11 Time spent with a computer, cell phone,

6.13 Adverse childhood experiences

6.15 Emotional help with parenthood

6.16 Coping with daily demands of raising children

6.17 Job change because problems with child care,

6.18 Stopped working and cut back hours

6.19 Avoided changing job

6.20a Time spent providing health care

6.20b Time spend coordinating health care

6.21 Received day care from others at least 10 hours/week, 0-5 years

6.22 Sleep position, 0-12 months

6.24 Go to bed same time on weeknights

Adequate amount of sleep, 4 months-17 years

Food insufficiency

Received food or cash assistance

6.28 Protective family routines and habits*

- years
- 2.8 Prevalence of autism/ASD, 3-17 years (NOM-17.3)
- 2.8a Parent-rated severity of autism/ASD, 3-17 years
- 2.8b Medication for autism/ASD, 3-17 years
- 2.8c Received behavioral treatment for ASD, 3-17 years
- 2.8d Age of diagnosis for autism/ASD
- 2.8e Type of doctor or health care provider first to tell that child had autism/ASD, 3-17 years
- 2.9 Medication for ADD/ADHD, ASD or difficulties with emotions, concentration, or behavior
- 4.10 Developmental screening, 9-35 months (NPM-6)

Note: The indicator numbers are not