

Putting Data Into Action: Accessing and Using Data from the National Survey of Children with Special Health Care Needs

The Data Resource Center for Child and Adolescent Health www.childhealthdata.org



The Data Resource Center is supported by the federal Maternal and Child Health Bureau






Why We Need Data!

- Identifying/documenting needs and performance
- Building partnerships
- Educating Ourselves and Policymakers
- > Advocacy
- Grant Writing
- > Research

Myth Busting Is Essential

Assumption: Most Children in the US Get Adequate Health Care:

Minimal Quality of Care Composite Measure (Insurance usually or always adequate, at least 1 preventive care visit in previous 12 months, and care meets medical home criteria)



Data Resource Center for Child & Adolescent Health

A project of the Child and Adolescent Health Measurement Initiative

About the Data Resource Center Learn About the Surveys

Browse the Data

Put Data into Action

Get Help

Publicly insured

children are more likely to have insurance coverage which adequately meets their health needs than privately insured



- **Survey Fast Facts**
- Quick Data Search
- Browse by State
- How to Use This Site

Data at a Glance

Keyword Search

At your fingertips-easy-to-read data snapshots for each state



State/Region

Nationwide

Browse Data Snapshots

Welcome to the Data Resource Center for Child & Adolescent Health!

Welcome to the newly redesigned DRC website. Take a tour of the site and give us your feedback.

The mission of the Data Resource Center (DRC) is to take the voices of parents, gathered through the National Survey of Children's Health (NSCH) and the National Survey of Children with Special Health Care Needs (NS-CSHCN), and share the results through this online resource so they can be used by researchers, policymakers, family advocates and consumers to promote a higher quality health careeeee system for children, youth and families. *Learn more about the DRC

What you can do on the DRC website?

- · Learn about the National Survey of Children's Health and the National Survey of Children with Special Health Care Needs
- · Browse national and state findings on hundreds of child health indicators
- · Search data based on numerous important topics and subgroups of children

Connect with the DRC

Sign up for email updates

email address

Submit



childhealthdata National study finds that providing insurance to the poor helps them maintain both health and financial stability: http://t.co/y0X8Hlb

4 days ago · reply · retweet · favorite



childhealthdata 1 in 5 high school students meets the medical criteria for addiction, according to a Columbia study. Read an article at http://t.co/a3ox4H2

6 days ago ' reply ' retweet ' favorite Download and print snapshot profiles on key.

Most Popular Topics

>> Child Obesity State Report Cards

>> New chartbook comparing CSHCN with

children who do not have special health

▶ New NS-CSHCN Data Trends

DRC Highlights

care needs



Available Datasets on the DRC



Association of Maternal & Child Health Programs Annual Conference, 2012



The Data Resource Center

What nor vould have done to get data

- 1. Down day ady content and sa y, select topics, t tatistical analysys aucting file linking (ho code for my conduct imputation to.
- 2. Determing ing, construct variable coding q
- 3. Sub ar sta uct
- 4. Conduct eighting an adjustment to standard errors for complex sampling
- 5. Produce data findings and format into tables and graphs.

Now people can:

- 1. Click on a topic
- Get tables and graphs already made
- 3. Compare across all states and subgroups of children with a point and a click!
- Download and use in presentations, reports, one pagers, etc.

Association of Maternal & Child Health Programs Annual Conference, 2012




What Features are Available?

- > Learn about the surveys
- Search and compare national, state, and regional survey results for subgroups of children (age, race, sex, income, insurance and health status, etc.)
- > Get topically focused data snapshots and profiles
- Get expert help by e-mailing us your questions, plus get links to other data sets and resources



Data Resource Center Technical Assistance





Example Technical Assistance Questions

Profile of Technical Assistance

- Website Assistance/Where to Find Information
- Indicator/Measurement Development
- Downloadable Data sets and variable codebooks
- Conceptualizing Research and Application of the Data
- Interpretation of Data
- Understanding the Surveys
- Resource Location
- New Data Analysis Needs



What Other Features Are Available?

- Get resources and ideas on how to report your findings in a valid and effective manner
- Download cleaned, labeled state-specific national survey datasets with preconstructed indicators and additional variables (SAS & SPSS)
- Sign up for regular e-updates, twitter and discussions on Facebook
- Find out about and access the latest publications, reports & abstracts using the national survey data



Your Data Briefcase



Sign up for E-updates | About CAHMI | Contact Us | Site Map | Accessibility | Legal and Privacy Policy

How to Use Data Effectively--Data Resource Center for Child and Adolescent Health

State-Specific Survey Results for Title V Needs Assessment



National Survey of Children with Special Health Care No. (2009/10 NS-CSHCN)


FAST FACTS about the SURVEY

What is the National Survey of CSHCN?

- A national telephone survey conducted for a third time during 2009-2010; previous administrations of the survey took place in 2000-2001 and 2005-2006
- Independent random samples taken in all 50 states and the District of Columbia
- Telephone numbers are randomly generated and called to find households with one or more childre
 under 18 years old. Trained interviewers ask parents or guardians a series of questions for all
 children in the household to identify those with special health care needs

2009/10 National Survey of Children with Special Health Care Needs (2009/10 NS-CSHCN)

Sampling and Survey Administration Process



children under 18 years old from 196,159 households were pecial health care needs. Final Screener datasets have 371,617 rder to maintain confidentiality of respondents.

I interviews were collected during 2009-2010; at least 750 interview nd the District of Columbia

nutes, on average, to complete

idministered in English, Spanish, Mandarin, Cantonese, Vietnamese

lable for EACH state?

umber CSHCN in the state population, and the estimated percent o one or more CSHCN under 18 years old

roviding detailed information about each state's CSHCN population as age, race/ethnicity, family structure, household income, etc.

by the CSHCN Interview?

us; including current conditions and functioning difficulties ions

nd adequacy of coverage

y types of health care services needed and any unmet needs for ca

are, and specialty services received



Data Resource Center for Child & Adolescent Health

Learn About the Surveys

National Survey of Children's (NSCH)

National Survey of Children w Special Health Care Needs (C Guide to Survey Topics and

Ouestions Survey FAQs

Fast Facts about the Surveys

CSHCN2009

Guide to Topics & Questions Asked

National Survey of Children with Special Health Care Needs, 2009/10

NOTE: Telephones are dialed at random to identify households with one or more children under 18 years old. The interviewer asks to speak to the parent or guardian who knows the most about the child's or children's health and health care. If he or she is not available, multiple call back attempts are made to reach them. If the parent or guardian's language is not English, arrangements are made to call back later to administer the survey in another language.

**Denotes that original version of the variable is not released publicly. Variable may be recoded or omitted in public use data files.

CLICK on the guestion numbers in blue text below to view the full text of the guestion and its response options.

- · SECTION 1: NIS/SLAITS Eligibility
- · SECTION 2: Initial Demographics

Welcome to the Da

About the Data

Resource Cente

Welcome to the newly re

The mission of the Data National Survey of Child Care Needs (NS-CSHC researchers, policymake

careeeee system for ch

DRC Highlights

- ▶ Child Obesity State R
- ▶ New NS-CSHCN Dat
- ▶ New chartbook comp

CSHCN2009

Section 2. INITIAL SCREENING

INTRODUCTION The next questions are about any kind of health problems, concerns, or conditions that may affect your (child/children)'s physical health, behavior, learning, growth, or physical development. Some of these health problems may affect your (child/children)'s abilities and activities at school or at play. Some of these problems affect the kind or amount or services your (child/children) may need or use.

CSHCN1

(IF S_UNDR18=1, INSERT 'Does your child'/ IF S_UNDR18 > 1, INSERT 'Do any of your children') currently need or use medicine prescribed by a doctor, other than vitamins?

- (01) YES
- (02) NO [SKIP TO CSHCN2]
- (77) DON'T KNOW [SKIP TO CSHCN2]
- (99) REFUSED [SKIP TO CSHCN2]

READ IF NECESSARY: This applies to ANY medications prescribed by a doctor. Do not include over-the-counter medications such as cold or headache medications, or any vitamins, minerals, or supplements that can be purchased without a prescription. THESE QUESTIONS REFER ONLY TO A CURRENT CONDITION. THE RESPONDENT SHOULD ONLY REPLY WITH "YES" IF THE CHILD CURRENTLY HAS A SPECIAL HEALTH CARE NEED.

han vitarins? (CSHCN1)

services to a is usual for st children

top

<u>top</u>



What data can you get on the DRC Website?

- Interactive Data Snapshots
 - View Topic Specific Snapshots
- Interactive State Ranking Tables
 - View and compare all states at the same time
 - Get maps comparing each state to the nation
- Interactive Query for Individual Outcomes, Indicators and Single Items
 - Search by state, region, and nationwide
 - Stratify by numerous population subgroups
 - Compare all states on individual items, indicators or outcomes
 - Trend across survey years where possible

Your Data ... Your Story Data Resource Center for Child & Adolescent Health

A project of the Child and Adolescent Health Measurement Initiative

About the Data Resource Center Learn About the Surveys

Browse the Data

Put Data into Action

Get Help

Publicly insured children are more likely to have insurance coverage which adequately meets their health needs than privately insured

- **Survey Fast Facts**
- Quick Data Search
- Browse by State
- How to Use This

Data at a Glance

At your fingertips-easy-to-read data snapshots for each state

ord Search



State/Region Nationwide

Browse Data Snapshots

st with the Dr

email address

Submit

childhealthdata National study finds that providing insurance to the poor helps them maintain both health and financial stability: http://t.co/y0X8Hlb

4 days ago · reply · retweet · favorite



childhealthdata 1 in 5 high school students meets the medical criteria for addiction, according to a Columbia study. Read an article at http://t.co/a3ox4H2 6 days ago ' reply ' retweet ' favorite

Welcome to the Data Resource Center for Child & Adolescent Health!

Welcome to the newly redesigned DRC website. Take a tour of the site and give us your feedback.

The mission of the Data Resource Center (DRC) is to take the voices of parents, gathered through the National Survey of Children's Health (NSCH) and the National Survey of Children with Special Health Care Needs (NS-CSHCN), and share the results through this online resource so they can be used by researchers, policymakers, family advocates and consumers to promote a higher quality health careeeee system for children, youth and families. *Learn more about the DRC

DRC Highlights


- >> Child Obesity State Report Cards
- ▶ New NS-CSHCN Data Trends
- >> New chartbook comparing CSHCN with children who do not have special health care needs

Most Popular Topics

What you can do on the DRC website?

- · Learn about the National Survey of Children's Health and the National Survey of Children with Special Health Care Needs
- · Browse national and state findings on hundreds of child health indicators
- · Search data based on numerous important topics and subgroups of children
- Download and print snapshot profiles on key.

OPTION 1: The DRC 360 "Get Started" Tour Step 1: Just click on your state



Step 2: View a range of measures and select any of your choice

2009/10 National Survey of Children with Special Health Care Needs


Nationwide Profile

Return to Snapshot Selection Compare Survey Years 2001-05/06 Compare Survey Years 2005-09/10 2001 Profile 2005/06 Profile

Click on any row of data in the table below to view detailed results by age, race/ethnicity, household income and other subgroups.

Prevalence of CSHCN	State %	Nation %	National Chartbook Indicators	State %	Nation %
CSHCN Prevalence			Child Health		
Percent of children who have special health care needs	15.1	15.1	CSHCN whose conditions affect their activities usually, always, or a great deal	27.1	27.1
CSHCN Prevalence by Age			CSHCN with 11 or more days of school absences due to illness	15.5	15.5
Age 0-5 years	9.3	9.3	Health Insurance Coverage		
Age 6-11 years	17.7	17.7	CSHCN without insurance at some point in past year	9.3	9.3
Age 12-17 years	18.4	18.4	CSHCN without insurance at time of survey	3.5	3.5
CSHCN Prevalence by Sex			Currently insured CSHCN whose insurance is inadequate	34.3	34.3
Male	17.4	17.4	Access to Care		
Formolo	42.7	40.7	CSHChl with any upract pood for appoining booth care partitions	22 E	22.0
MCHB Core Outcomes				State %	Nation %
CSHCN whose families are partr	ners in deci:	sion making	at all levels, and who are satisfied with the services they receive	70.3	70.3
CSHCN who receive coordinate	d, ongoing,	comprehens	ive care within a medical home	43.0	43.0
CSHCN whose families have add	equate priva	ate and/or pu	ublic insurance to pay for the services they need	60.6	60.6
CSHCN who are screened early	and continu	uously for sp	pecial health care needs	78.6	78.6
CSHCN whose services are org	janized in w	ays that fan	nilies can use them easily	65.1	65.1
Youth with special health care n care, work, and independence	needs who r	receive the s	services necessary to make appropriate transitions to adult health	40.0	40.0
			CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	22.1	22.1
			CSHCN whose conditions cause financial problems for the family	21.6	21.6
			CSHCN whose families spend 11 or more hours per week	13.1	13.1

...takes you to your state's findings for that measure



Step 3: Select a subgroup to view your state findings for

Current Search Criteria

Survey: 2009/10 National Survey of Children with

Special Health Care Needs

Starting Point: MCHB Core Outcomes and Key

Indicators

State/Region: Nationwide vs. California

Topic: MCHB Core Outcomes for CSHCN

Question: Outcome #2: CSHCN who receive coordinated, ongoing, comprehensive care within a

medical home (details)

Outcome #2: CSHCN who receive coordinated, ongo comprehensive care within a medical home (details)

<u> </u>	Compare States:
	California
	Compare Subgroups:
	Select a Subgroup
	Select a Subgroup Age - 3 groups Sex of child
d, ongo	Race/ethnicity Primary language for Hispanic CSHCN Specific types of special health needs Emotional/behavioral/developmental issues Family structure Insurance status
letails) 💳	Type of insurance
ama nat	Consistency of insurance coverage

Edit Search Criteria

		Outcome successfully	Outcome not achieved		of current health insurance
		achieved ´			
Nationwide	%	43.0	57.0	100.0	
	C.I.	(42.1 - 43.8)	(56.2 - 57.9)		
	n	18,279	20,671		
	Pop. Est.	4,613,661	6,126,183		
California	%	38.3	61.7	100.0	
	C.I.	(33.9 - 42.7)	(57.3 - 66.1)		
	n	299	492		
	Pop. Est.	365,908	589,751		

C.I. = 95% Confidence Interval. Percentages are weighted to population characteristics.

n = Cell size. Use caution in interpreting Cell sizes less than 50.

Current Search Criteria

Survey: 2009/10 National Survey of Children with

Special Health Care Needs

Starting Point: MCHB Core Outcomes and Key

The relative standard error is greater than 30%.

...takes you to your state's Medical Home findings by insurance type

Indicators				Compare Subgrou	ıps:	
State/Regio	n: Nationwi	de v		Town of income		
Topic: MCH	3 Core Outo	om			Private	Public
Question: Outcome #2: CS				<u>.</u>		
coordinated, medical hom		mp			insurance onlγ	Insurance
medical home (details) Sub Group: Outcome succ				only		
of insurance			Nationwide	%	51.2	34.0
			ivationwide	70	31.2	34.0
Outcome #: within a me				C.I.	(50.1 - 52.4)	(32.4 - 35.5)
		Ì		O.1.	((
Select a response category		gory		n	12,129	4,115
					0.040.004	4 050 000
Nationwide	%			Pop. Est.	2,810,201	1,252,062
	C.I. (6	California	%	47.0	25.4	
	n		Calliottila	/0	47.0	23.4
	Pop. Est.			C.I.	(41.2 - 52.8)	(17.4 - 33.4)
California	%			O.1.	(41.2 - 32.0)	(11.4 - 33.4)
	C.I.	(4		n	212	52
	n Dan Est			11	212	JZ
	Pop. Est.			Pop. Est.	260,211	64,798
C.I. = 95% Co n = Cell size.				i op. ∟st.	200,211	04,130
	es based on s		SIZOS TOO SINGII TO INCCE STANGA	sociation of Mat	ernal & Child Health	

Programs Annual Conference, 2012



Subgroup Comparison Options

- > All 50 states, D.C., & 10 HRSA regions
- > Age
- Sex of child
- Race/ethnicity of child
- Primary household language
- Household income level
- Household income (SCHIP)
- > Family structure

- Special Health Care Needs Status
- > Type of insurance
- Consistency of insurance
- Presence of a medical home
- Presence of an emotional, behavioral or developmental problem
- Adequacy of health insurance

Step 4: See where your state ranks across all states by selecting "all states" as comparison group

Edit Search Criteria

Unselect State or Region

Compare States:

All States

All States
All Regions

Current Search Criteria Survey: 2009/10 National Survey of Children with Special Health Care Needs

Starting Point: MCHB Core Outcomes and Key

Indicators

State/Region: Nationwide vs. California

Topic: MCHB Core Outcomes for CSHCN

Question: Outcome #2: CSHCN who receive coordinated, ongoing, comprehensive care within a

medical home (details)

Sub Group: Outcome successfully achieved x Type

of insurance

Outcome #2: CSHCN who receive coordinated, ongoing, within a medical home (details)

Select a response category | Outcome successfully achieved

	Alaba Alask Arizor Arkan Califor	ma a na sas rnia ado	
	Delaw	ct of Columbia	
ngoing,	Georg Hawai Idaho Illinois	jia ii	
Both priv	Indian Iowa Kansa		
insur			
35.3		24.2	
(32.1 -	38.6)	(19.9 - 28.5)	
4.0		040	

		Private insurance only	Public insurance only	Both pu Kansa priva Kansa insurance	as
		Offiny	Offity	illoulance	
Nationwide	%	51.2	34.0	35.3	24.2
	C.I.	(50.1 - 52.4)	(32.4 - 35.5)	(32.1 - 38.6)	(19.9 - 28.5)
	n	12,129	4,115	1,011	318

Current Search Criteria

Survey: 2009/10 National Survey of Children with

Special Health Cal

Starting Point: M Indicators

Topic: MCHB Cor Question: Outcon

coordinated, ongoi medical home (det

Top 10 States

HOVER over the text 2

Notes: Click on the

Bottom States

INOLLI	9
М	10
Massa	11
lo	12

get back to querying by other Outcome #2: CSHCN who receive coor subgroups in your state

home (details)

Notes: Click on the Column Header to sort the results State/Region: All HOVER over the text in the table.

Ľ		over the text in the table.			
ı		State	Outcome successfully achieved %	Outcome not achieved %	Total %
	1	Alabama	50.7	49.3	100.0
	2	Kentucky	50.2	49.8	100.0
	3	Kansas	49.4	50.6	100.0
	4	New Hampshire	49.4	50.6	100.0
	5	Indiana	48.5	51.5	100.0
	6	Nebraska	48.2	51.8	100.0
Ī	7	Minnesota	48.0	52.0	100.0
	8	Pennsylvania	48.0	52.0	100.0
	9	North Dakota	47.8	52.2	100.0
	10	Maine	47.5	52.5	100.0
	41	Texas	40.1	59.9	100.0
	42	Montana	39.1	60.9	100.0
	43	New York	38.4	61.6	100.0

Step 5: Click on your state to

	44	California	38.3	61.7	100.0
	45	New Jersey	38.3	61.7	100.0
	46	Mississippi	36.8	63.2	100.0
	47	Nevada	36.8	63.2	100.0
	48	Florida	36.2	63.8	100.0
M	49	Arizona	36.1	63.9	100.0
	50	New Mexico	34.9	65.1	100.0
38	51	District of Columbia	34.2	65.8	100.0
lo "					

...and back to CA vs. Nation... continue searching subgroups on this measure..or...

Current Search Criteria

Survey: 2009/10 National Survey of Children with

Special Health Care Needs

Starting Point: MCHB Core Outcomes and Key


Indicators

State/Region: Nationwide vs. California

Topic: MCHB Core Outcomes for CSHCN

Question: Outcome #2: CSHCN who receive coordinated, ongoing, comprehensive care within a

medical home (details)



Outcome #2: CSHCN who receive coordinated, ongoing, comprehensive care within a medical home (details)

		Outcome successfully achieved	Outcome not achieved	Total %
Nationwide	%	43.0	57.0	100.0
	C.I.	(42.1 - 43.8)	(56.2 - 57.9)	
	n	18,279	20,671	
	Pop. Est.	4,613,661	6,126,183	
California	%	38.3	61.7	100.0
	C.I.	(33.9 - 42.7)	(57.3 - 66.1)	
	n	299	492	
	Pop. Est.	365,908	589,751	


C.I. = 95% Confidence Interval. Percentages are weighted to population characteristics.

n = Cell size. Use caution in interpreting Cell sizes less than 50.



Tweet Page

Trending Across Survey Years



some of the

time

38.5

(37.7 - 39.4)

15,611

4,265,089

34.4

(33.6 - 35.2)

14,795

3,806,433

100.0

often a great

deal

27.1

(26.2 - 27.9)

9.730

2,996,614

%

C.I.

Pop. Est.



Trending Across Survey Years with Subgroups

Browse the Data

Browse by Survey & Topic

Get State Snapshots

Get US Data Maps

Medical Home Data Portal

Browse Title V Topics

Data Tools

Get Print Version

梵 Download PDF

📀 Email Page

🚮 Share Page

📘 Tweet Page

Home > Browse the Data > Browse by Survey > Survey Results

Current Search Criteria

Survey: Compare all years - National Survey of Children with Special Health Care Needs

Starting Point: MCHB Core Outcomes and Key

Indicators

State/Region: Nationwide

Topic: CSHCN Health and Functional Status

Question: Indicator 1: CSHCN whose health conditions consistently affect their daily activities


(details)



Select a Subgroup

Age - 3 groups

Insurance status Sex of child





Trending Across Survey Years with Subgroups

Browse the Data

Browse by Survey & Topic

Get State Snapshots

Get US Data Maps

Medical Home Data Portal

Browse Title V Topics

Data Tools

Get Print Version


梵 Download PDF

📀 Email Page

🚹 Share Page

📘 Tweet Page

Home > Browse the Data > Browse by Survey > Survey Results





Trending Across Survey Years with Subgroups at the State Level

٧

Home > Browse the Data > Browse by Survey > Survey Results Browse the Data Browse by Survey & Topic Get State Snapshots Get US Data Maps Medical Home Data Portal Browse Title V Topics Data Tools Get Print Version Download PDF Email Page Share Page

Tweet Page

Current Search Criteria Edit Search Criteria Survey: Compare all years - National Survey of Compare States: Children with Special Health Care Needs District of Columbia Starting Point: MCHB Core Outcomes and Key Compare Subgroups: Indicators Insurance status State/Region: Nationwide vs. District of Columbia Topic: CSHCN Health and Functional Status Return to single year data results Question: Indicator 1: CSHCN whose health Change question, topic or survey conditions consistently affect their daily activities (details) Sub Group: Consistently affected x Currently insured Indicator 1: CSHCN whose health conditions consistently and often greatly affect their daily activities (details) Select a Response Category: | Consistently affected ٧ Select a Sub Group Category: Currently insured ٧ 2001 2005/06 2009/10 % Nationwide | 22.8 23.6 26.8

(21.9 - 23.6)

23.5

(19.0 - 27.9)

C.I.

%

C.I.

C.I. = 95% Confidence Interval. Percentages are weighted to population characteristics.

District of Columbia

(22.9 - 24.4)

21.1

(17.5 - 24.6)


(25.9 - 27.6)

21.7

(17.4 - 25.9)

OPTION 2: The DRC "full search"

Step 1: Click on "Browse by Survey & Topic"





Step 2: Select a survey, a survey year and y geographic area

A project of the	e Child and Adolesce	nt Health Measureme	ent Initiative		Keyword Search
About the Data Resource Center	Learn About the Surveys	Browse the Data	Put Data into Action	Get Help	D Go
Browse the Data	Home > Brows	se the Data > Browse by S	Survey		
Browse by Survey & Topic	Browse	by Survey &	Topic		
Get State Snapshots		interactive data search: indicator or measure.	1) Select a Survey, Survey Y	ear, and State or Regio	on. 2) Select your desired Topic/Starting Point.
Get US Data Maps	This will direc	t you to a results page v	vhere you can compare acro	ss states, regions and	by numerous subgroups.
Medical Home Data Portal	1. Select	a Survey, Year, a	nd Geographic Area		
Browse Title V Topics	Sel	ect a Survey	National Survey of Children	with Special Health C	Care Needs
	Sel	ect a Year 2	009/10		
Data Tools	Sel	ect a State/Region	Vationwide		
Get Print Version			Vationwide VII States		
Download PDF	2. Select	a Starting Point	All Regions Alabama		
Email Page		B Core Outcomes A	Alaska		
Share Page		MCHB Care Outcomes	Arizona Arkansas		
			California Colorado		
Tweet Page	C	Ticaliti ilisal al ice cove	Connecticut		
	C	Linette Courtierele con	Delaware District of Columbia		
	C	Care Coordination and			
	C	/ Impact on ranilles	∋eorgia Hawaii		
	± CSH	ICN Provolence on	daho		
			linois ndiana		
	VIIIIC		ndiana Dwa		
		F	Kansas		<u> </u>

Data Tools Add to Your Briefcase Get Print Version Download PDF Share This Link

2. Select a Starting Point/Topic

- CSHCN Chartbook Indicators and MCHB Core O CSHCN performance measures and key indicator re
 - MCHB Core Outcomes for CSHCN
 - C CSHCN Health and Functional Status
 - C Health Insurance Coverage and Program Participation
 - C Health Care Needs and Access to Care
 - Care Coordination and Family Centered Care
 - C Impact on Families
- CSHCN Prevalence and Demographics (Content Map)
 Child or household level data for children with & without special health care needs
- Additional Measures of CSHCN Health, Access and Care Quality (Content Map) Includes sub-component results for core outcomes & key indicators
- 2005/06 CSHCN Survey Sections (Content Map)

 Responses to questions asked in each section of the CSHCN Interview

3. Select a Survey Question

Outcome #1: CSHCN whose families are partners in decision making and satisfied with services 📦



Outcome #3: CSHCN have adequate public or private insurance 6

Outcome #4: CSHCN who are screened early and continuously for special health care needs 1

Outcome #5: Community-based service systems are organized for ease of use 6


Outcome #6: CSHCN youth receive services needed for transition to adulthood 6


CSHCN ages 0-11 served by care systems meeting all core outcomes 😚

CSHCN ages 12-17 served by care systems meeting all core outcomes 🚯

Step 3: Select a measurement topic and measure

Other Options: Obtain US Maps and State Ranking Tables for Measures







Examples of Other Data Snapshots and Topical Profiles to Look For

- 1. Across Year Comparisons Data Snapshots
- 2. Condition Specific Data Snapshots
- 3. Core Outcomes Profiles
- 4. Medical Home Profiles
- 5. Disparity Profiles
- 6. Your Data, Your Story Templates
- 7. Others....



Core Outcome Profiles

(could be tailored to your state)



www.childhealthdata.org

Outcome #1:

Families are partners in decision making at all levels

Effective promotion of health and health services for children with special health care needs (CSHCN) requires a system of care that is integrated, comprehensive, coordinated and family centered. Ideally, these systems are easy to navigate and foster positive experiences between families and health service providers. Advancing integrated systems of care for CSHCN and their families is a national mandate under Public Law 101-239 and is a priority reflected in the Healthy People goals set forth by the U.S. Department of Health and Human Services from 2000 to 2020. To help determine progress towards these goals, the Federal Maternal and Child Health Bureau established the following six core outcomes that facilitate integrated systems of care for CSHCN:

- 1. Partners in Decision-Making
- 2 Medical Home
- 4. Early and Continuous Screening
- 5. Ease of Community-Based Service Use
- 6. Transition to Adulthood

The National Survey of Children with Special Health Care Needs (NS-CSHCN), which has been conducted every four years since 2001, is designed to provide information on the CSHCN population and to assist in the measurement of these core outcomes. The survey measures each core outcome with low-threshold criteria. Outcome #1 is measured through questions that assess the extent to which health professionals engage families in decision-making about their child's health care. Based on data from the 2009/10 NS-CSHCN, 70.3% of CSHCN nationwide meet Outcome #1, with states ranging from 61.8% - 77.6%. Assessment of the variation between states and within demographic or other subgroups of CSHCN is critical to developing appropriate interventions and policy responses.

Measurement

CSHCN meet Outcome 1 when the respondent answers usually or always to all four of the following questions:

We want to know about how [S.C.]'s doctors or other health care providers work with you to make decisions about [his/her] health care services and treatment. During the past 12 months...

C6Q21 How often did [S.C.]'s doctors or other health care providers discuss with you the range of options to consider for [his/her] health care or treatment?


C6Q22 How often did they encourage you to ask questions or raise concerns?

C6Q23 How often did they make it easy for you to ask guestions or raise concerns?

C6Q24 How often did they consider and respect what health care and treatment choices you thought would work best for

....Would you say never, sometimes, usually, or always?

Proportion of CSHCN Meeting Outcome #1 by Presence of a Medical Home and Personal Doctor or Nurse



- . CSHCN with a personal doctor or nurse (PDN) are more likely to receive care where their families are partners in decision making than CSHCN without a PDN.
- · CSHCN with a medical home are more likely to meet Outcome #1 than CSHCN without a

**National and state-level prevalence of all outcomes by demographics & subgroups are available online at childhealthdata.org

57.6% Uninsured CSHCN

61.5% CSHCN with one or more FBD* issues

65.9% CSHCN with more complex needs

70.3% All CSHCN

76.0% Privately insured

Data Resource Center (DRC) is a project of the Child and Adolescent Health Measurement Initiative at Oregon Health & Science University, DRC is sponsored by the Maternal and Child Health Bureau, Health Resources and Services Administration. Created November 2011.



Experience with care for CSHCN who do and do not meet Outcome #1

OUTCOME 1: PARTNERS IN DECISION-MAKING


active engagement

Setting the stage for optimal health trajectories.

A partnership between a child's family and their health care providers allows for an open and intentional dialogue about his or her unique health needs. This leads to individualization of care and the ability to identify factors that may negatively affect his or her health. It also gives children and their families the support they need during critical periods of development. However, only about 70% of CSHCN meet this core outcome. Vulnerable CSHCN. especially those with functional limitations and those living in poverty, are even less likely to receive care in which families are partners in decision making.


Trending Across Survey Years:

Measurement changed significantly for 2009/10 NS-CSHCN, and therefore cannot be compared to 2001 or 2005/06 NS-CSHCN survey findings



www.childhealthdata.org

- CSHCN who meet Outcome # 1 have a lower probability of experiencing frustration seeking services or having unmet needs for specific health services than CSHCN who do not meet Outcome # 1
- . CSHCN who meet Outcome #1 have a higher probability of having their care coordination needs met and having no problems getting needed referrals than CSHCN who do not meet Outcome # 1



Taking it a Step Further

The following are questions relating to Outcome #1 that cannot be answered by this national survey data but are important to consider when evaluating how early and continuous screening can best work to improve the health and well-being of CSHCN:

- . Current measurement is physician-focused -- are families working to encourage these critical conversations?
- . Do families have the support they need to play the most positive role possible in their child's development?
- . What do health care providers do to educate families on how they can best support their child's development?
- . What is the family doing in the day-to-day life of their child to promote or maintain health?
- · Are families involved in the policy decisions that affect them?



Who Are CSHCN Profile



www.childhealthdata.org

Who Are Children with Special Health Care Needs?

Definition

The federal Maternal and Child Health Bureau defines children with special health care needs (CSHCN) as:

"those who have or are at increased risk for a chronic physical, developmental, behavioral, or emotional condition and who also require health and related services of a type or amount beyond that required by children generally"

This definition is used to guide the development of familycentered, coordinated systems of care for children and families for children with special needs served by the state Title V block grants administered by the Maternal and Child Health Bureau.

The National Survey of CSHCN (NS-CSHCN) and the National Survey of Children's Health (NSCH) — two child health prevalence surveys — use a validated non-condition specific, consequences based screening tool to identify children meeting the Maternal and Child Health definition of CSHCN with the exception that the "at risk" component is not included.

Prevalence Profile

Source 2009-2010 National Survey of Children with Special Health Care Needs



% CSHCN→
23,0

77.0

Households with Children

According to the 2009/10 National Survey of Children with Special Health Care Needs:

- Approximately 11.2 million children ages 0–17 years in the United States (15.1%) have special health care needs.
- Prevalence of CSHCN ranges from 10.6% to 19.8% across the 50 states and the District of Columbia.
- Over 1 in 5 households with children in the United States have at least one child with special health care needs. This translates into almost 9 million households nationally.

Demographic Profile

- Compared to children not meeting CSHCN criteria (non-CSHCN), CSHCN are more likely to be male (17.4% vs. 12.7%) and older, 12–17 years (18.4%) compared to 0-5 years (9.3%) and 6-11 years (17.7%).
- While estimated by the NS-CSHCN to be about 15.1% of the child population, CSHCN account for 40% or more of medical expenditures for children overall.

Health Status Profile Among CSHCN

All CSHCN currently have a condition with health and related service consequences. In the 2009/10 NS-CSHCN, prevalence of twenty specific conditions was included in the survey. 87.7% of CSHCN have at least 1 condition on the list and 29.1% of CSHCN have 3 or more of these conditions.

Condition	96	Condition	96
ADD/ADHD	30.2	Headaches	9.8
Depression	10.3	Head Injury	1.4
Anxiety	17.1	Heart Problem	3.0
Behavioral problems	13.5	Blood Problems	1.5
Autism, ASD	7.9	Cystic Fibrosis	0.3
Developmental Delay	17.6	Cerebral Palsy	1.6
Intellectual Disability	5.8	Muscular Dystrophy	0.3
Asthma	35.3	Down Syndrome	1.1
Diabetes	1.7	Arthritis	2.9
Epilepsy	3.1	Allergies	48.6

Condition prevalence in 2009/10 was asked using two questions: prevalence of conditions ever or currently. Only current prevalence was asked in 2005/06.

"Condition was either not asked about in the 2005/06 NS-CSHCN or was not comparable. Note: This is prevalence among CSHCN.

Functional difficulties are difficulties that impact the day-to-day life of CSHCN. 91.2% of CSHCN experience at least 1 of the following functional difficulties and 45.6% of CSHCN have 4 or more of the difficulties listed.

Functional Difficulty	96
Breathing or other respiratory problems	46.5
Swallowing, digesting food, or metabolism	19.1
Blood Circulation	6.1
Repeated or chronic physical pain, including headaches	29.0
Seeing even when wearing glasses or contact lenses	15.6
Hearing even when using a hearing aid or other device	6.3
Taking care of self, such as eating, dressing or bathing	19.8
Coordination or moving around	19.6
Using his/her hands	16.1
Learning, understanding or paying attention	51.1
Speaking, communicating, or being understood	32.9
Feeling anxious or depressed	42.9
Behavior problems	41.4
Making and keeping friends	32.4

MORPHISMAN, Autogo P, Fort, H, et al. 4 new district of derivative by appeal feeling van review? (Resistance, 1964, 1901, 1971-144).


Debent CC, Chena C, Districting S, Ling H, Blastoning S, Chemister S, Essential Contribution of Section and Sect


Data Resource Center (DRC) is a project of the Child and Adolescent Health Measurement Initiative at Oregon Health & Science University. DRC is sponsored by the Maternal and Child Health Bureau, Health Resources and Services Administration.



www.childhealthdata.org

Comparing CSHCN to Children without Special Health Care Needs (Non-CSHCN)
Health Status and Utilization School and Home Profile





Source: 2007 National Survey of Children's health, www.childhealthdata.org

Identifying CSHCN

CSHCN are identified in the NS-CSHCN and the NSCH using the CSHCN Screener on a five item, parent-reported tool designed to reflect the federal Maternal and Child Health Bureau's consequences-based definition of children with special health care

- The CSHCN Screener^o operationalizes the MCHB definition of CSHCN by focusing on the health consequences a child experiences as a result of having an on-going health condition rather than on the presence of a specific diagnosis or type of disability.
- The screener assesses children's health care needs status by using questions that ask about need or use of services, prescription
 medications, specialized therapies, and having functional difficulties due to an ongoing condition.
- The non-condition specific approach used by the CSHCN Screener[©] identifies children across the range and diversity of childhood chronic conditions and special needs, allowing a more comprehensive assessment of health needs and health care system performance.

Developed by The Child & Adolescent Health Measurement Initiative (CAHMI at www.cahmi.org); National Data Resource Center for Child and Adolescent Health; Oregon Health & Science University, School of Medicine, Department of Pediatrics

Visit the Data Resource Center to learn more about CSHCN in your state



www.childhealthdata.org

f McPherson M, Arango P, Fox H, et al. "A new definition of children with special health care needs", Pediatrics, 1998; 102–137-141.

2 detends CD, Rend D, Shim R, B, Bunderg S, Rewardows, P, Lowerdowy Christmen with Special Health Care Recent, Development and Evaluation of a Stord Streening Took Anabasida Pediatrics. 2002.

3 detends CD, Rend D, Bhanderg SJ, Hewardows, P, Verhal is the Relies of Christmenth Special Health Care Recent. Towards and Understanding of Variation in Previousion across Three Reliances Surveys, MCH Journal, July 2

4 Researching, PM A Em, SE. A radical portile of testin Care Uniform and expenditures for Christmen with Special Health care Recent. Another of Pediatrics and Albertosic Medicine. 2005;15(1):1617.

Data Resource Center (DRC) is a project of the Child and Adolescent Health Measurement Initiative at Oregon Health & Science University. DRC is sponsored by the Maternal and Child Health Bureau, Health Resources and Services Administration.




Condition-Specific Profiles


Part I: % of CSHCN with Autism or autism spectrum disorder

% of CSHCN overall with condition: 5.4 Estimated number with condition: 544,181


% of CSHCN with Condition % of CSHCN with Condition		
Nationwide	By Insurance	Nationwide
5.2	Private insurance only	4.3
6.0	Public insurance only	6.2
4.9	Both public and private	11.0
	Uninsured	5.3
7.2	By SSI Status	
2.8	Receives SSI for disability	19.4
	Nationwide 5.2 6.0 4.9	Nationwide 5.2 Private insurance only 6.0 Public insurance only 4.9 Both public and private Uninsured 7.2 By SSI Status

Part II: Selected Health Characteristics among CSHCN with **Autism or autism spectrum disorder** -- **NATIONWIDE**





% of CSHCN with and without condition qualifying on specific types of special health needs criteria²



Functional limitations (alone or with any other type)

Managed by prescription medications



How the DRC can support Programs Improvement Partnerships

Understand your population	User generated tables, bar and pie charts, and customizable reports supply prevalence estimates and population counts to help define your population of CSCHN and their health needs
Assess system performance	Immediate access to over 100 state-specific indicators of child health and well-being and system performance for children overall and children with special health care needs (CSHCN).
Examine improvement opportunities	"Point and click" menu allows users to explore disparities and gaps in access and services for different population subgroups of children and CSHCN.



How the DRC can support Programs Improvement Partnerships

Select priorities	User generated tables, bar and pie charts, and customizable reports supply prevalence estimates and population counts to help guide selection of priority needs.
Set targets	"All States" ranking maps and tables provide benchmark data to assist in identifying state-negotiated performance measure targets.
Identify promising improvement models	Information on national, within and across States variation using standardized indicators helps identify where quality is better and can help in cross-state learning for purposes of identifying promising models for improvement as well as identify key collaborators for improvement.
Monitor progress	Centralized resource for standardized, population-based survey questions to use in collecting child health and health care quality data locally.



Examples of Variation (e.g. Information) To Look For

Example:

Met Transition to Adulthood Criteria: 40.0%

Variations Across States
State Range: 31.7% (NV) to 52.7% (KS)

Disparities Nationwide (and variation in disparities!)

Private: 50.2%; Public: 25.8%; Uninsured: 19.6%

Among Insured – Adequate Insurance: 46.2%

Inadequate Insurance: 31.7%

Association of Maternal & Child Health Programs Annual Conference, 2012



Whole System, Whole Child View




12. CSHCN w

more EB

Age 12-1:

6.2 Publicly CSF



5.3% ely insured SHCN

9.2% ely insured SHCN

Core Outcome #2: Medical Home and core Outcome #6: Transition to Adulthood (CSHCN age 12-17 years only)
are the two outcomes least likely to be met.

For both age groups, more CSHCN meet Outcome #4: Early and Continuous Screening than any other outcome.



Other Ideas for Maximizing the Use of Your Data

- 1. Local area synthetic estimates
- 2. Using the data to motivate and inform partnerships
- 3. Using the familiar to communicate about the unfamiliar
- 4. Leveraging data points provided to conduct more in depth analyses and tell a story!



Local Area EstimatesSomething to Consider

Race/Ethnicity Adjusted	California	Marin County	Fresno County
Prevalence of CSHCN	14.5%	15.8%	14.5%
Prevalence of Inadequate Insurance	24.9%	24.1%	24.9%
Prevalence of Grade Repetition	10.6%	9.9%	13.5%
Prevalence of a "Home Environment" Summary Measure	29.6%	31.6%	20.8%
Prevalence of Medical Home	49.6%	52.0%	46.9%

Data sources: 2007 National Survey of Children's Health and kidscount.org



Making the Data Come Alive



All of the CSHCN living in California would fill 24,927 school buses and stretch 170 miles

How far would the buses span if they were filled with subgroups of California CSHCN?

• White: 52 miles

• Non-white: 92 miles

Association of Maternal & Child Health Programs Annual Conference, 2012



The Importance of Standardization



Association of Maternal & Child Health Programs Annual Conference, 2012



Be Bold!

- ☐ The NSCH and NS-CSHCN are unprecedented resources!
- ☐ State data provides a basis for across-area learning and building shared understanding of priorities and impact



Contact Us

- Visit us at <u>www.childhealthdata.org</u>
- Email us at cahmi@ohsu.edu
- Connect with the DRC to Join the Conversation!
 - Like us on Facebook: http://www.facebook.com/childhealthdata
 - Follow us on Twitter: @childhealthdata